

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIGURE 1A





FIGURE 1B





**A.****B.**

FIGURE 2




**C.****D.**


FIGURE 2 (cont.)

A.



B.

### Wavelength-Independent Scatter



### Wavelength-Dependent Scatter




FIGURE 3




**B.****Wavelength-Independent Scatter****Wavelength-Dependent Scatter**

FIGURE 4

A.

High  $H_2O$  to Hb Ratio

## Wavelength-Independent Scatter



## Wavelength-Dependent Scatter




FIGURE 5



FIGURE 6

### Serum Stability at 37°C





FIGURE 7



A.



B.




FIGURE 8




FIGURE 9




FIGURE 10